

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

|                           |   |                             |
|---------------------------|---|-----------------------------|
| In the Application of     | ) | Examiner: Ljiljana V. Ciric |
|                           | ) |                             |
| Klaus Kristen Olesen      | ) |                             |
|                           | ) | Art Unit: 3744              |
| on FLOW DISTRIBUTING UNIT | ) |                             |
| AND COOLING UNIT          | ) |                             |
|                           | ) | Confirmation No.: 3300      |
| Serial No.: 10/577,140    | ) |                             |
|                           | ) |                             |
| Filed: April 25, 2006     | ) | Docket No. 6495-0157WOUS    |

Hartford, Connecticut, October 19, 2010

Mail Stop AMENDMENT  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**RESPONSE TO OFFICE ACTION**

Dear Madame:

In response to the Office Action mailed July 21, 2010, having a period for response set to expire on October 21, 2010, Applicant respectfully submits the following:

**AMENDMENTS TO THE CLAIMS**, beginning on page 2 of this paper;

**AMENDMENTS TO THE ABSTRACT**, beginning on page 6 of this paper;

**AMENDMENTS TO THE DRAWINGS**, beginning on page 7 of this paper; and

**REMARKS**, beginning on page 8 of this paper.